


## VETERINARY THERMOMETER

for small animals

SC

1504 flex



### Veterinary thermometer SC 1504 flex

- Measurement time: approx. 10 seconds,
- Measuring range: 32.0 ° C to 43.9 ° C,
- Waterproof,
- Display of the last measured value,
- Flexible measuring tip.

The veterinary thermometer SC 1504 flex was specially developed for temperature measurement in mammals. The measuring range extends up to 43.9 ° C. The SC 1504 flex is suitable for measuring the body temperature of small animals (guinea pigs to dogs).



EAN 4022356015046  
Art.-Nr.: 01504

CE  
0197

More info at [www.scala-electronic.de](http://www.scala-electronic.de)

# VETERINARY THERMOMETER

for small animals

## Specifications

SC 1504 flex

Type	Maximum - Thermometer
Measuring range	32.0°C to 43.9°C Temperature below 32.0°C: display "L" for low. Temperature above 43.9°C: display "H" for high.
Measuring duration	appr. 10 seconds
Resolution	0.1°C
Deviation	± 0.1°C between 35.5°C and 42.0°C at 18°C to 28°C ambient temperature. ± 0.2°C between 32.0°C and 35.5°C and between 42.0°C and 43.9°C at 18°C to 28°C ambient temperature.
Self detection	Automatic internal check of test value 37.0°C, in case of deviation more than 0.1°C, "Err" will be displayed.
Display	LCD-Display, 3 digits
Storage temperature	Temperatures: -10°C to 50°C Relative humidity: 15% to 95%
Shutdown	appr. 3 minutes after the end of measurement
Battery info	1 x LR41 (1.5V), capacity 30mAh, weight 0.6gr
Battery indicator	yes
Water resistant	yes
Colour	white with blue details
Dimension	136.8x21.9x12mm
Device weight	19 g
Country of origin	China

## Logistics details

	Quantity in pcs / kg	Gross weight (Kg)	Dimensions (cm)
Single package	1	0,044	7,5 x 5,5 x 2
Sales unit	120	5,32	33 x 24,5 x 36
	1080	47,88	120 x 80 x 36
	4320	191,52	120 x 80 x 150

19 g

EAN 4022356015046  
Art.-Nr.: 01504

CE  
0197

More info at [www.scala-electronic.de](http://www.scala-electronic.de)

Rev.: 29.06.2022

Certified product according to the EU directive 93/42 / EEC on medical products